

# HARRINGTON®

Process Solutions since 1959



## QUANTM™

A Massive Leap Forward for Your Facility



PROVEN QUALITY. LEADING TECHNOLOGY.

Harrington is a leading Graco distributor.  
For more information call: 1.800.877.4472 or  
email: [pumpinfo@hipco.com](mailto:pumpinfo@hipco.com)



MADE IN THE USA

## QUANTM™ ELECTRIC PUMP

# THE POWER YOU EXPECT

### SAVE ENERGY, CUT COSTS AND RUN CLEANER

QUANTM isn't just another electric pump: it's a game-changer. QUANTM features a revolutionary electric motor design that will reduce operational costs and keep your production lines running. It is a perfect fit for nearly any fluid application and a drop-in replacement for existing pumping technologies. Protect your bottom line by converting to a QUANTM Electric Pump.

#### EFFICIENT ELECTRIC DRIVE

- Up to 80% less energy consumption
- Requires no compressed air
- No freezing

#### INTEGRATED CONTROLS

- Control flow and pressure at the pump
- I/O for remote operation



#### PROVEN AODD BENEFITS

- Stalls under pressure
- Self-priming
- Dry running
- Handles solids and abrasive materials

#### PLUG AND PLAY

- Factory wired for quick install
- 120V and 240V options
- Hazardous Location models available

### THE SIMPLICITY WILL SURPRISE YOU

The industry of tomorrow isn't expensive, hard-to-learn, and a burden on your team. It's smart, simple, cost-effective, clean and environmentally responsible. We designed QUANTM to be quieter, lighter, more reliable, and easier for anyone in your team to maintain. QUANTM isn't one small step toward a better facility — it's a leap into the future.



SUSTAINABLE OPERATIONS



OPERATIONAL RESILIENCE



COST SAVINGS



SIMPLIFIED MAINTENANCE



Model	QUANTM i30 (1")	QUANTM i80 (1.5")	QUANTM i120 (2")
Material of Construction	Aluminum, Polypropylene, Conductive Polypropylene, Hastelloy, Stainless Steel, PVDF	Aluminum, Polypropylene, Conductive Polypropylene, Stainless Steel, PVDF	Aluminum, Polypropylene, Conductive Polypropylene, Stainless Steel, Cast Iron, PVDF
Pressure	100 psi (7 bar, 0,7 MPa)		70 psi (5 bar, 0,5 MPa)
Flow	30 gpm (115 lpm)	80 gpm (300 lpm)	120 gpm (450 lpm)
Voltage	120V single phase	240V 3 phase	

Harrington is a leading Graco distributor.  
For more information call: 1.800.877.4472 or  
email: [pumpinfo@hipco.com](mailto:pumpinfo@hipco.com)



# HARRINGTON®

*Process Solutions since 1959*

## OUR BRAND PROMISE TO YOU

Since 1926, innovation, quality and A+ Service have been at the center of Graco.

### Experience Innovation

Our focus on innovation results in products and equipment that lead the industry with technologically-advanced features, pioneering design, high performance and unparalleled reliability. In short, innovation is how you get better products!

### Building Quality

You're investing in high-quality products built to last for years of reliable service. Moreover, we partner with our customers to better understand how you're deploying our products in the field, then use your experiences to improve performance and durability.



### A+ service, every time

You'll see A+ Service in action when you contact any of our support services options no matter where you are in the world. We'll listen to your situation and work methodically to resolve it as quickly as we can. We are guided by a mindset of integrity and a customer service view centered on collaboration and relationships, not transactions.

## THE HARRINGTON DIFFERENCE

Providing over 60 years of exceptional service

For more information call: 1.800.877.4472 or  
email: [pumpinfo@hipco.com](mailto:pumpinfo@hipco.com)

Visit <https://www.hipco.com/graco/>